

# 2019 East End Pullers LLC

## *Rules and Regulations*

*Contact for Info: Brandon Eppers (814) 357-1466  
Korby Neese (814) 933-8216*

### *General Rules:*

- 1. Track officials have final say.*
- 2. Flagman in control start to stop of hook.*
- 3. If the track official asks to see something on your tractor and you refuse, it's an automatic DQ.*
- 4. Protest fee is \$200.00.*
- 5. Protested tractor checked by officials along with the Protestee's tractor .*
- 6. If protested tractor is found illegal it is disqualified and the Protestee's tractor is awarded the protest fee in return. If the protestee's tractor is also found illegal then it likewise is disqualified, \$100.00 goes back to the protestee's tractor and the club retains \$100.00.*
- 7. If protested tractor is found legal protested tractor get's \$150.00, the other \$50.00 goes to the pullers club.*
- 8. All tractors must have wheelie bars capable of holding weight of tractor.*
- 9. Helmets are required in all classes.*
- 10. Fire suits are required for alcohol fueled tractors.*

## Tractor Rules:

### 14 Mod

*Must be 16 yrs. of Age*

*23X1050 Tires- No cuts*

*10 Inch hitch*

*.060 Overbore*

*1.2 Carb – No Alcohol*

*Head straps*

*Steel flywheels*

*Safety shrouds-1/8 inch steel- 3/16 Aluminum- IE clutch and flywheel*

*No cast pulleys*

*Stock wheel base*

*Factory front axles*

*Fire Extinguishers*

*Stock stroke*

*Points ignition*

## **16 Mods:**

*Must be 16 yrs of Age*

*Full fire suit must be worn*

*23x1050x12 Tires- Cuts allowed*

*Alcohol allowed*

*1.2 Carb*

*4 Inch Max-bore*

*Steel flywheels*

*Head straps*

*Safety shrouds-1/8 inch steel-3/16 aluminum*

*Stock stroke*

## **Max Stock**

*26x12x12 Pro Tires and Cuts*

*No Alcohol*

*13 Inch hitch*

*Stock Block and Stroke*

*Head straps*

*52 Inch wheel base*

*4000 RPM*

## **Small Twins – 14-20 HP**

*24x12x12 Tires – No Cuts*

*No Alcohol*

*12 Inch hitch*

*1 Inch carb*

*No carb spacers or Velocity stacks*

## **Big Twins – 21-30 HP**

*26x12x12 Tires- No Pro Tires- Cuts Allowed*

*No Alcohol*

*No Carb spacers or Velocity stacks*

*13 Inch hitch*

*1 Inch carb for single barrel*

*22mm or .866 carb for two barrel*

## **Pro Stock**

*NQS Rules*

## **Super Stock**

*Carb Only*

*NQS Rules*

## Light Limited Diesel

*NQS Rules*

### 3 Cylinders

*Big Tire—Pro Tire—Cuts Allowed*

*13 Inch hitch*

### 14 & 16 Stock—Youth and Adult

*Stock wheel base—No Alterations*

*23 x 10.50 or stock size tires—No cuts*

*10 inch hitch*

*4000 RPM's—No tolerance*

*No more than .030 overbore*

*330 lift cam—no lash*

*Stock Valves*

*No velocity stacks or carb spacers*

*No bigger than a 30 Carb*

*No electric fuel pumps*

*No alcohol*

*Head straps—Steel flywheels are ok*

*No 2 Speeds*

*Factory front axles*

*Stock stroke*

*Points ignition*